

2026

1. Umpierrez GE, Shah VN, Brady V, Clements MA, Espinoza J, Healey E, Kohn MA, Maahs DM, Oiknine R, Seley JJ, Weitzman SP, Kerr D, Akturk HK, Aleppo G, Al-Sofiani ME, Cengiz E, Doyle FJ 3rd, Ebekozien O, Edelman SV, Ekhlaspour L, Freckmann G, Heinemann L, Hirsch IB, Hsiao VC, Kim SH, Kovatchev B, Lal RA, Lind M, Mader JK, Mathioudakis N, McLaughlin T, Meo SA, Osafehinti DA, Phillip M, Prahalad P, Scheinker D, Snyder MP, Wang J, Wong JC, Wright EE, Shao MM, Scheideman AF, DuNova AY, Klonoff DC. Integrating the Glycemia Risk Index Into Clinical Practice and Research: A Consensus Report. *J Diabetes Sci Technol*. 2026 Mar 7:19322968261432498. doi: 10.1177/19322968261432498. Epub ahead of print.
2. Schlüter, S., Freckmann, G. & Lange, K. Ein Kommentar der AGDT zu smarten Insulinpen-Therapiesystemen. *Diabetologie* (2026). <https://doi.org/10.1007/s11428-026-01436-z>
3. Freckmann G, Fritsche A, Forst T, Hinzmann R, Kellerer M, Landmesser U, Miszon M, Müller-Wieland D, Tan S, Schnell O, Siegmund T, Wiesner T, Ziegler R, Seufert J. Verbindliche Qualitätsstandards für CGM: iCGM/eCGM – ein erster wichtiger Schritt. *Diabetes, Stoffwechsel und Herz*, 2026; 35 (1): 26-34.

2025

1. Beltzer A, Gil Miró M, Eichenlaub M, Waldenmaier D, Haug C, Ehrmann D, Freckmann G. Towards Standardization of CGM Performance Studies: The QUSS-CGM Questionnaire for Assessing User Satisfaction. *Patient Relat Outcome Meas*. 2025 Dec 19;16:203-214. doi: 10.2147/PROM.S554524.
2. Jendrike N, Link M, Öter S, Fei J, Zheng J, Gao F, Gao A, Zhu S, Shi L, Strange P, Flacke F, Eichenlaub M, Freckmann G. Performance of a New Continuous Glucose Monitoring System in German Adults Living with Diabetes. *Diabetes Ther*. 2026 Feb;17(2):287-299. doi: 10.1007/s13300-025-01832-6.
3. Lange K, Freckmann G, Biester T, Remus K, Holder M, Deiss D, Ziegler R, Buchal G, von Blankenburg P, Freiberg C, Thienel F, Konrad K, van den Boom L, Klinkert C, Fürst-Burger A, Schlüter S. Evaluierung des SPECTRUM-Schulungs- und Behandlungsprogramms zum rtCGM in der pädiatrischen Diabetologie. *Diabetes Stoffwechsel Herz*. 2025;34:325-334.
4. Eichenlaub M, Pleus S, Waldenmaier D, Freckmann G. Arterialization of Venous Blood May Affect the Time Lag of Continuous Glucose Sensors. *Diabetes Technol Ther*. 2025 Nov 26. doi: 10.1177/15209156251403566. Epub ahead of print.
5. Pleus S, Eichenlaub M, Dabla PK, Diem P, Eriksson Boija E, Fokkert M, Hinzmann R, Jendle J, Klonoff DC, Lu J, Makris K, Mohan V, Nichols JH, Pemberton JS, Selvin E, Slingerland RJ, Thomas A, Tran NK, Witthauer L, Freckmann G; Working Group on Continuous Glucose Monitoring of the IFCC Scientific Division. Clinical assessment and acceptance criteria for continuous glucose monitoring (CGM) system performance: A proposed guideline by the IFCC Working Group on CGM. *Clin Chim Acta*. 2026 Jan 30;580:120728. doi: 10.1016/j.cca.2025.120728.
6. Waldenmaier D, Wehrstedt S, Eichenlaub M, Pleus S, Link M, Jendrike N, Öter S, Brandt D, Haug C, Freckmann G. Response to Comments on Freckmann et al. A Comparative Analysis of Glycemic Metrics Derived From Three Continuous Glucose Monitoring Systems. *Diabetes Care* 2025;48:1213-1217. *Diabetes Care*. 2025 Oct 1;48(10):e128-e129. doi: 10.2337/dci25-0071.
7. Witthauer L, Mendez C, Garcia-Tirado J, Eichenlaub M, Waldenmaier D, Pleus S, Freckmann G. Discrepancies between current displayed and auto-logged glucose values in FreeStyle Libre 3: Implications for clinical interpretation. *Diabetes Obes Metab*. 2025 Dec;27(12):7367-7373. doi: 10.1111/dom.70140.

8. Nauck M, Freckmann G, Heinemann L. Verwenden Sie die empfohlenen Teströhrchen für die Glukosemessung? Neue Richtlinien für die präanalytische Handhabung in Deutschland. *Diabetes Stoffw Herz.* 2025; 34:104-105
9. Heinemann L, Kaltheuner M, Schwarz T, Freckmann G, Nauck M. Farbcode der Teströhrchen: Der deutsche Sonderweg führt zu Konfusion. *Diabetes Stoffw Herz.* 2025; 34:16-17
10. Thomas, A., Freckmann, G. & Eichenlaub, M. Nichtinvasive Glukosemessung – bereit für die Praxis? *Diabetologie* (2025). <https://doi.org/10.1007/s11428-025-01367-1>
11. Schwarz T, Freckmann G, Heinemann L. Welche Systeme zur Glukosemessung sind für die Diabetes-Diagnose zugelassen? *Diabetes Stoffw Herz.* 2025; 34:16-17
12. Jendrike N, Eichenlaub M, Link M, Öter S, Beltzer A, Gil Miró M, Haug C, Seo JH, Kim MH, Pleus S, Freckmann G. Comparative Performance Analysis of Manual and Updated Optional Calibration Algorithms for the CareSens Air CGM System. *J Diabetes Sci Technol.* 2025 Jul 3:19322968251351318. doi: 10.1177/19322968251351318. Epub ahead of print.
13. Pleus S, Buck S, Heinemann L, Freckmann G. Glukosemessung in der Diabetestherapie. *Diabetologie* (2025). <https://doi.org/10.1007/s11428-025-01338-6>
14. Pleus S, Freckmann G, Slingerland RJ, Diem P, Eriksson Boija E, Fokkert M, Hinzmann R, Jendle J, Klonoff DC, Lu J, Makris K, Mohan V, Nichols JH, Pemberton J, Selvin E, Thomas A, Tran NK, Witthauer L, Eichenlaub M. Comparator Value Pairing Impacts Reported Continuous Glucose Monitoring System Accuracy. *J Diabetes Sci Technol.* 2025 Sep;19(5):1423-1426. doi: 10.1177/19322968251344303. Epub 2025 May 23.
15. Mader JK, Wong JC, Freckmann G, Garcia-Tirado J, Hirsch IB, Johnson SB, Kerr D, Kim SH, Lal R, Montaser E, O'Donnell H, Pleus S, Shah VN, Ayers AT, Ho CN, Biester T, Dovc K, Farrokhi F, Fleming A, Gillard P, Heinemann L, López-Díez R, Maahs DM, Mathieu C, Quandt Z, Rami-Merhar B, Wolf W, Klonoff DC. The Use of Continuous Glucose Monitoring to Diagnose Stage 2 Type 1 Diabetes. *J Diabetes Sci Technol.* 2025 Jul;19(4):1109-1127. doi: 10.1177/19322968251333441. Epub 2025 May 30.
16. Pleus S, Eichenlaub M, Eriksson Boija E, Diem P, Fokkert M, Hinzmann R, Jendle J, Klonoff DC, Makris K, Nichols JH, Pemberton J, Selvin E, Slingerland RJ, Thomas A, Tran NK, Witthauer L, Freckmann G; Working Group on Continuous Glucose Monitoring of the IFCC Scientific Division. Proposed minimum requirements for market approval of continuous glucose monitoring (CGM) systems: A viewpoint from the IFCC working group on CGM. *Diabetes Obes Metab.* 2025 Jul;27(7):4039-4042. doi: 10.1111/dom.16420. Epub 2025 Apr 28.
17. Freckmann G, Wehrstedt S, Eichenlaub M, Pleus S, Link M, Jendrike N, Öter S, Brandt D, Haug C, Waldenmaier D. A Comparative Analysis of Glycemic Metrics Derived From Three Continuous Glucose Monitoring Systems. *Diabetes Care.* 2025 Jul 1;48(7):1213-1217. doi: 10.2337/dc25-0129.
18. Eichenlaub M, Waldenmaier D, Pleus S, Haug C, Brandt D, Freckmann G. Compliance With FDA iCGM Special Controls is Dependent on Study Design and Procedures. *J Diabetes Sci Technol.* 2025 May;19(3):850-852. doi: 10.1177/19322968251329879. Epub 2025 Apr 2.
19. Pors A, Korzeniowska B, Rasmussen MT, Lorenzen CV, Rasmussen KG, Inglev R, Philipps A, Zschornack E, Freckmann G, Weber A, Hepp KD. Calibration and performance of a Raman-based device for non-invasive glucose monitoring in type 2 diabetes. *Sci Rep.* 2025 Mar 25;15(1):10226.
20. Spartano NL, Prescott B, Walker ME, Shi E, Venkatesan G, Fei D, Lin H, Murabito JM, Ahn D, Battelino T, Edelman SV, Fleming GA, Freckmann G, Galindo RJ, Joubert M, Lansang MC, Mader JK, Mankovsky B, Mathioudakis NN, Mohan V, Peters AL, Shah VN, Spanakis EK, Waki K, Wright EE, Zilbermint M, Wolpert HA, Steenkamp DW. Expert Clinical Interpretation of Continuous Glucose Monitor Reports From Individuals Without

- Diabetes. J Diabetes Sci Technol. 2025 Feb 12:19322968251315171. doi: 10.1177/19322968251315171. Epub ahead of print.
21. Link M, Eichenlaub M, Waldenmaier D, Wehrstedt S, Pleus S, Jendrike N, Öter S, Haug C, Hossmann S, Rothenbühler M, Brandt D, Freckmann G. Feasibility of a glucose manipulation procedure for the standardized performance evaluation of continuous glucose monitoring systems. J Diabetes Sci Technol. 2025 Feb 24:19322968251317526. doi: 10.1177/19322968251317526. Epub ahead of print.
 22. Eichenlaub M, Waldenmaier D, Wehrstedt S, Pleus S, Link M, Jendrike N, Öter S, Haug C, Schinz M, Braunack-Mayer V, Schneider R, Brandt D, Freckmann G. Performance of Three Continuous Glucose Monitoring Systems in Adults With Type 1 Diabetes. J Diabetes Sci Technol. 2025 Feb 4:19322968251315459. doi: 10.1177/19322968251315459. Epub ahead of print.

2024

1. Pleus S, Eichenlaub M, Eriksson Boija E, Fokkert M, Hinzmann R, Jendle J, Klonoff DC, Makris K, Nichols JH, Pemberton J, Selvin E, Slingerland RJ, Thomas A, Tran NK, Witthauer L, Freckmann G. The Need for Standardization of Continuous Glucose Monitoring Performance Evaluation: An Opinion by the International Federation of Clinical Chemistry and Laboratory Medicine Working Group on Continuous Glucose Monitoring. J Diabetes Sci Technol. 2024 Nov 14:19322968241296097. doi: 10.1177/19322968241296097. Epub ahead of print.
2. Safary E, Lepeska M, Beran D, Ewen M, Zhaparova A, Rukare J, Boule P, Aebischer Perone S, Makohliso S, Pleus S, Vetter B. Development of a target product profile for new glucose self-monitoring technologies for use in low- and middle-income countries. PLoS One. 2024 Aug 26;19(8):e0309062. doi: 10.1371/journal.pone.0309062.
3. Kaltheuner M, Freckmann G, Nauck M, Heinemann L. LabDIAB: Ergebnisse einer Befragung zu Laboruntersuchungen mit Antworten von 66 diabetologischen Praxen. Diabetes Stoffw Herz. 2024;33,02/2024:108-112
4. Pleus S, Tytko A, Landgraf R, Heinemann L, Werner C, Müller-Wieland D, Ziegler AG, Müller UA, Freckmann G, Kleinwechter H, Schleicher E, Nauck M, Petersmann A. Definition, Classification, Diagnosis and Differential Diagnosis of Diabetes Mellitus: Update 2023. Exp Clin Endocrinol Diabetes. 2024 Mar;132(3):112-124.
5. Shaw JLV, Bannuru RR, Beach L, ElSayed NA, Freckmann G, Füzéry AK, Fung AWS, Gilbert J, Huang Y, Korpi-Steiner N, Logan S, Longo R, MacKay D, Maks L, Pleus S, Rogers K, Seley JJ, Taxin Z, Thompson-Hutchison F, Tolan NV, Tran NK, Umpierrez GE, Venner AA. Consensus Considerations and Good Practice Points for Use of Continuous Glucose Monitoring Systems in Hospital Settings. Diabetes Care. 2024 Dec 1;47(12):2062-2075.
6. Mader JK, Baumstark A, Tüting J, Sokol G, Schuebel R, Tong Y, Roetschke J, Slingerland RJ. Monitoring of the Analytical Performance of Four Different Blood Glucose Monitoring Systems: A Post-market Performance Follow-Up Study. Diabetes Ther (2024) 15:2525–2535
7. Klonoff DC, Freckmann G, Pleus S, Kovatchev BP, Kerr D, Tse CC, Li C, Agus MSD, Dungan K, Voglová Hagerf B, Krouwer JS, Lee WA, Misra S, Rhee SY, Sabharwal A, Seley JJ, Shah VN, Tran NK, Waki K, Worth C, Tian T, Aaron RE, Rutledge K, Ho CN, Ayers AT, Adler A, Ahn DT, Aktürk HK, Al-Sofiani ME, Bailey TS, Baker M, Bally L, Bannuru RR, Bauer EM, Bee YM, Blanchette JE, Cengiz E, Chase JG, Y Chen K, Cherňavsky D, Clements M, Cote GL, Dhatariya KK, Drincic A, Ejekjaer N, Espinoza J, Fabris C, Fleming GA, Gabbay MAL, Galindo RJ, Gómez-Medina AM, Heinemann L,

- Hermanns N, Hoang T, Hussain S, Jacobs PG, Jendle J, Joshi SR, Koliwad SK, Lal RA, Leiter LA, Lind M, Mader JK, Maran A, Masharani U, Mathioudakis N, McShane M, Mehta C, Moon SJ, Nichols JH, O'Neal DN, Pasquel FJ, Peters AL, Pfützner A, Pop-Busui R, Ranjitkar P, Rhee CM, Sacks DB, Schmidt S, Schwaighofer SM, Sheng B, Simonson GD, Sode K, Spanakis EK, Spartano NL, Umpierrez GE, Vareth M, Vesper HW, Wang J, Wright E, Wu AHB, Yeshiwas S, Zilbermint M, Kohn MA. The Diabetes Technology Society Error Grid and Trend Accuracy Matrix for Glucose Monitors. *J Diabetes Sci Technol.* 2024 Nov;18(6):1346-1361.
8. Snel T, Reinhardt S, Koenig H, Pleus S, Freckmann G. An SMS-Guided Basal Insulin Titration in People with Type 2 Diabetes New on Insulin. *Diabetes Ther.* 2024 Nov;15(11):2429-2441. doi: 10.1007/s13300-024-01650-2. Epub 2024 Sep 30.
 9. Mader JK, Waldenmaier D, Mueller-Hoffmann W, Mueller K, Angstmann M, Vogt G, Rieger CC, Eichenlaub M, Forst T, Freckmann G. Performance of a Novel Continuous Glucose Monitoring Device in People With Diabetes. *J Diabetes Sci Technol.* 2024 Sep;18(5):1044-1051.
 10. Kulzer B, Freckmann G, Ziegler R, Schnell O, Glatzer T, Heinemann L. Nocturnal hypoglycemia in the era of continuous glucose monitoring. *J Diabetes Sci Technol.* 2024 Sep;18(5):1052-1060.
 11. Eichenlaub M, Öter S, Waldenmaier D, Kulzer B, Heinemann L, Ziegler R, Schnell O, Glatzer T, Freckmann G. Characteristics of Nocturnal Hypoglycaemic Events and Their Impact on Glycaemia. *J Diabetes Sci Technol.* 2024 Sep;18(5):1035-1043
 12. Kannenberg S, Voggel J, Thieme N, Witt O, Pethahn KL, Schütt M, Sina C, Freckmann G, Schröder T. Unlocking Potential: Personalized Lifestyle Therapy for Type 2 Diabetes Through a Predictive Algorithm-Driven Digital Therapeutic. *J Diabetes Sci Technol.* 2024 Jul 30:19322968241266821. doi: 10.1177/19322968241266821. Epub ahead of print.
 13. Eichenlaub M, Gil Miro M, Pleus S, Waldenmaier D, Wiesner T, Schlüter S, Freckmann G. Vorsicht bei der Benutzung von Smartwatches mit angeblicher Glukosemessfunktion. *Diabetes Stoffw Herz* 2024; 33: 102 –104
 14. Pleus S, Baumstark A, Mende J, Haug C, Freckmann G. Retrospektive Bewertung der internen Qualitätskontrolle nach Rili-BÄK für POCT-Glukosemesssysteme. *Diabetes Stoffw Herz* 2024; 33: 133 –139
 15. Forst T, Freckmann G, Öter S, Waldenmaier D, Schlüter S, Ganz M. Wie Insulin entsteht und funktioniert. *Diabetes Journal* 5-2024.
 16. Plebani M, Nichols JH, Luppia PB, Greene D, Sciacovelli L, Shaw J, Khan AI, Carraro P, Freckmann G, Dimech W, Zaninotto M, Spannagl M, Huggett J, Kost GJ, Trenti T, Padoan A, Thomas A, Banfi G, Lippi G. Point-of-care testing: state-of-the art and perspectives. *Clin Chem Lab Med.* 2024 Jun 17;63(1):35-51. doi: 10.1515/cclm-2024-0675.
 17. Luppia PB, Zeller M, Pieper M, Kaiser P, Weiss N, Vierbaum L, Freckmann G. Quality assessment of glucose measurement with regard to epidemiology and clinical management of diabetes mellitus in Germany. *Front Mol Biosci.* 2024 Mar 20;11:1371426.
 18. Pleus S, Eichenlaub M, Gerber T, Eriksson Boija E, Makris K, Haug C, Freckmann G. Improving the Bias of Comparator Methods in Analytical Performance Assessments Through Recalibration. *J Diabetes Sci Technol.* 2024 May;18(3):686-694
 19. Pleus S, Baumstark A, Schauer S, Kölle J, Jendrike N, Mende J, Haug C, Freckmann G. User Performance Evaluation and System Accuracy Assessment of Four Blood Glucose Monitoring Systems With Color Coding of Measurement Results. *J Diabetes Sci Technol.* 2024 May;18(3): 644-652.

20. Pleus S, Eichenlaub M, Waldenmaier D, Freckmann G. Even Head-to-Head Comparison Studies of Continuous Glucose Monitoring System Performance Can be Biased. *J Diabetes Sci Technol.* 2024 May;18(3): 743-744.
21. Pleus S, Beil A, Baumstark A, Haug C, Freckmann G. Plasma glucose concentrations in different sampling tubes measured on different glucose analysers. *Exp Clin Endocrinol Diabetes.* 2024 May;132(5):260-266.
22. Nauck M, Freckmann G, Heinemann L. Are You Using the Recommended Test Tubes for Glucose Measurement? New Guidelines for Pre-analytical Handling in Germany. *J Diabetes Sci Technol.* 2024 May;18(3):754-755.
23. Pleus S, Link M, Hinzmann R, Oter S, Eichenlaub M, Baumstark A, Haug C, Freckmann G. Effect of Arterialization on Venous Blood Glucose Concentrations and Implications for Observed Continuous Glucose Monitoring Accuracy. *Diabetes Technol Ther.* 2024 Apr;26(4):238-245.
24. Eichenlaub M, Pleus S, Freckmann G. A Proposal for the Clinical Characterization of Continuous Glucose Monitoring Trend Arrow Accuracy. *J Diabetes Sci Technol.* 2024 Jul;18(4):800-807.
25. Freckmann G, Schlüter S, Ziegler R, Buck S, Beltzer A, Gehr B, Nauck M, Heinemann L. Kontinuierliches Glukosemonitoring in Krankenhäusern und Pflegeeinrichtungen. *Diabetes Stoffw Herz* 2024; 33: 26-37
26. Beltzer A, Kölle J, Gil Miró M, Pleus S, Krauss C, Haug C, Safary E, Vetter B, Freckmann G. Benefits of Usability Evaluation in the Development Process of Diabetes Technologies Using the Example of a Continuous Glucose Monitoring System Prototype. *J Diabetes Sci Technol.* 2025 Sep;19(5):1293-1301. doi: 10.1177/19322968241238146. Epub 2024 Mar 13.
27. Pleus S, Eichenlaub M, Waldenmaier D, Freckmann G. A Critical Discussion of Alert Evaluations in the Context of Continuous Glucose Monitoring System Performance. *J Diabetes Sci Technol.* 2024 Jul;18(4):847-856.
28. Eichenlaub M, Stephan P, Waldenmaier D, Pleus S, Rothenbühler M, Haug C, Hinzmann R, Thomas A, Jendle J, Diem P, Freckmann G. Continuous Glucose Deviation Interval and Variability Analysis (CG-DIVA): A Novel Approach for the Statistical Accuracy Assessment of Continuous Glucose Monitoring Systems. *J Diabetes Sci Technol.* 2024 Jul;18(4):857-865
29. Schlüter S, Deiss D, Gehr B, Lange K, von Sengbusch S, Thomas A, Ziegler R, Freckmann G. Glucose Monitoring and Control Testing in Patients with Type 1 or Type 2 diabetes. *Exp Clin Endocrinol Diabetes.* 2024 Jun;132(6):298-315.
30. Baumstark A, Pleus S, Mende J, Jendrike N, Tesar M, Schauer S, Sugiyama T, Aoki T, Sugiyura M, Freckmann G, Haug C. Investigation of the Effect of 70 Potential Interferents on Measurement Results of Two Blood Glucose Monitoring Systems. *J Diabetes Sci Technol.* 2025 Jul;19(4):971-981. doi: 10.1177/19322968241231294. Epub 2024 Feb 15.
31. Pleus S, Jendrike N, Baumstark A, Mende J, Wehrstedt S, Haug C, Freckmann G. Evaluation of System Accuracy, Precision, Hematocrit Influence, and User Performance of Two Blood Glucose Monitoring Systems Based on ISO 15197:2013/EN ISO 15197:2015. *Diabetes Ther.* 2024 Feb;15(2):447-459.
32. Eichenlaub M, Pleus S, Rothenbühler M, Bailey TS, Bally L, Brazg R, Bruttomesso D, Diem P, Eriksson Boija E, Fokkert M, Haug C, Hinzmann R, Jendle J, Klonoff DC, Mader JK, Makris K, Moser O, Nichols JH, Nørgaard K, Pemberton J, Selvin E, Spanou L, Thomas A, Tran NK, Witthauer L, Slingerland RJ, Freckmann G. Comparator Data Characteristics and Testing Procedures for the Clinical Performance Evaluation of

- Continuous Glucose Monitoring Systems. *Diabetes Technol Ther.* 2024 Apr;26(4):263-275.
33. Freckmann G, Waldenmaier D, Heinemann L. Head-to-Head Evaluation of Continuous Glucose Monitoring and Automated Insulin Delivery Systems: Why are They not Used More Systematically? *J Diabetes Sci Technol.* 2024 May;18(3):535-540.
34. Hermanns N, Ehrmann D, Finke-Groene K, Krichbaum M, Roos T, Haak T, Freckmann G, Kulzer B. Use of smartphone application versus written titration charts for basal insulin titration in adults with type 2 diabetes and suboptimal glycaemic control (My Dose Coach): multicentre, open-label, parallel, randomised controlled trial. *Lancet Reg Health Eur.* 2023 Jul 24;33:100702.
35. Freckmann G, Schauer S, Beltzer A, Waldenmaier D, Buck S, Baumstark A, Jendrike N, Link M, Zschornack E, Haug C, Pleus S. Continuous Glucose Profiles in Healthy People With Fixed Meal Times and Under Everyday Life Conditions. *J Diabetes Sci Technol.* 2024 Mar;18(2):407-413.

2023

1. Mende J, Baumstark A, Waldenmaier D, Amirouche A, Barraud A, Fridez P, Haug C, Freckmann G. Accuracy Evaluation of a Novel Reusable Patch Pump Prototype. *J Diabetes Sci Technol*. 2023 Nov;17(6):1644–1648.
2. Schlüter S, Deiss D, Gehr B, Lange K, von Sengbusch S, Thomas A, Ziegler R, Freckmann G. Glukosemessung und -kontrolle bei Patienten mit Typ-1- oder Typ-2-Diabetes. *Diabetologie und Stoffwechsel* 2023;18(S 02): S114-S135
3. Pleus S, Tytko A, Landgraf R, Heinemann L, Werner C, Müller-Wieland D, Ziegler AG, Müller UA, Freckmann G, Kleinwechter H, Schleicher E, Nauck M, Petersmann A. Definition, Klassifikation, Diagnostik und Differenzialdiagnostik des Diabetes mellitus: Update 2023. *Diabetologie und Stoffwechsel* 2023; 18(S 02):S100-S113
4. Kaiser P, Grote-Koska D, Freckmann G, Petersmann A, Nauck M, Heinemann L. Glukose-Messungen und Rili-BÄK: Anpassung der Akzeptanzgrenzen bei der internen und externen Qualitätskontrolle. *Diabetologie und Stoffwechsel* 2023: doi: 10.1055/a-2170-5873
5. Schoemaker M, Martensson A, Mader JK, Norgaard K, Freckmann G, Benhamou PY, Diem P, Heinemann L. Combining Glucose Monitoring and Insulin Infusion in an Integrated Device: A Narrative Review of Challenges and Proposed Solutions. *J Diabetes Sci Technol* 2023: doi:10.1177/19322968231203237
6. Freckmann G, Eichenlaub M, Waldenmaier D, Pleus S, Wehrstedt S, Haug C, Witthauer L, Jendle J, Hinzmann R, Thomas A, Eriksson Boija E, Makris K, Diem P, Tran N, Klonoff D, Nichols J.H., Slingerland R. Clinical Performance Evaluation of Continuous Glucose Monitoring Systems: A Scoping Review and Recommendations for Reporting. *J Diabetes Sci Technol*. 2023 Nov;17(6):1506-1526
7. Heinemann L, Scheper N, Freckmann G, Pleus S, Nauck M, Landgraf R, Schwarz R. Kommentar zu den Konsequenzen aus der „Befragung zur Güte der Glukosemessung in niedergelassenen diabetologischen Praxen basierend auf einer Strukturbefragung“. *Diabetol. Stoffw.* 2023: doi 10.1055/a-2096-7526
8. Schwarz T, Scheper N, Freckmann G, Pleus S, Nauck M, Landgraf R, Heinmann L. Güte der Glukosemessung in niedergelassenen diabetologischen Praxen basierend auf einer Strukturbefragung. *Diabetol. Stoffw.* 2023: doi 10.1055/a-2096-2747
9. Freckmann G, Eichenlaub M, Waldenmaier D, Pleus S. Comment on Hochfellner et al. Accuracy Assessment of the GlucoMen Day CGM System in Individuals with Type 1 Diabetes: A Pilot Study. *Biosensors* 2022, 12, 106. *Biosensors* 2013, 13, 709.
10. Eichenlaub M, Ziegler R, Heinemann L, Waldenmaier D, Kamecke U, Haug C, Freckmann G. Patch Pumps: Periodic Insulin Delivery Patterns. *J Diabetes Sci Technol*. 2023 Jul;17(4):1049-1055.
11. Bellido V, Freckmann G, Pérez A, Galindo RJ. Accuracy and Potential Interferences of CGM sensors in the Hospital. *Endocr Pract.* 2023 Nov;29(11):919-927.
12. Klonoff DC, Wang J, Rodbard D, Kohn MA, Li C, Liepmann D, Kerr D, Ahn D, Peters AL, Umpierrez GE, Seley JJ, Xu NY, Nguyen KT, Simonson G, Agus MSD, Al-Sofiani ME, Armaiz-Pena G, Bailey TS, Basu A, Battelino T, Bekele SY, Benhamou PY, Bequette BW, Blevins A, Breton MD, Castle JR, Chase JG, Chen KY, Choudhary P, Clements MA, Close KL, Cook CB, Danne T, Doyle FJ 3rd, Drincic A, Dungan KM, Edelman SV, Ejlskjaer N, Espinoza JC, Fleming GA, Forlenza GP, Freckmann G, Galindo RJ, Gomez AM, Gutow HA, Heinemann L, Hirsch IB, Hoang TD, Hovorka R, Jendle JH, Ji L, Joshi SR, Joubert M, Koliwad SK, Lal RA, Lansang MC, Lee WA, Leelarathna L, Leiter LA, Lind M, Litchman ML, Mader JK, Mahoney KM, Mankovsky B, Masharani U, Mathioudakis NN, Mayorov A, Messler J, Miller JD, Mohan V, Nichols JH, Nørgaard K,

- O'Neal DN, Pasquel FJ, Philis-Tsimikas A, Pieber T, Phillip M, Polonsky WH, Pop-Busui R, Rayman G, Rhee EJ, Russell SJ, Shah VN, Sherr JL, Sode K, Spanakis EK, Wake DJ, Waki K, Wallia A, Weinberg ME, Wolpert H, Wright EE, Zilbermint M, Kovatchev B. Glycemia Risk Index (GRI) of Hypoglycemia and Hyperglycemia for Continuous Glucose Monitoring Validated by Clinician Ratings. *J Diabetes Sci Technol*. 2023 Sep;17(5):1226-1242.
13. Jendrike N, Freckmann G, Krauß C, Mende J, Waldenmaier D, Heinemann L, Trippe ZA, Websky S. Evaluation of the Tolerability of a Steel Needle and an Adhesive for a Patch Pump. *J Diabetes Sci Technol*. 2023 Jul;17(4):1123-1125
 14. Eichenlaub M, Pleus S, Shaginian R, Richardson J, Pardo S, Stuhr A, Freckmann G. Impact of Blood Glucose Monitoring System Accuracy on Clinical Decision Making for Diabetes Management. *J Diabetes Sci Technol*. 2023 May;17(3):683-689.
 15. Pleus S, Schauer S, Baumstark A, Beil A, Jendrike N, Link M, Zschornack E, Beltzer A, Haug C, Freckmann G. Differences in venous, capillary and interstitial glucose concentrations in individuals without diabetes after glucose load. *J Med Lab*. 2023 Apr 19: <https://doi.org/10.1515/labmed-2023-0013>
 16. Freckmann G. Standardization of continuous glukcose monitoring. *Klinická biochemie a metabolismus* 1/2023: 3-4.
 17. Freckmann G, Deiss D, Ziegler R, Schlüter S. Ideale Diabeteskontrolle mit vielen offenen Fragen. *Dtsch Arztebl* 1/2023.
 18. Kölle J, Eichenlaub M, Mende J, Link M, Vetter B, Safary E, Pleus S, Haug C, Freckmann G. Performance Assessment of Three Continuous Glucose Monitoring Systems in Adults with Type 1 Diabetes. *J Diabetes Sci Technol*. doi: 10.1177/19322968231159657
 19. Pors A, Rasmussen KG, Inglev R, Jendrike N, Philipps A, Ranjan AG, Vestergaard V, Henriksen JE, Norgaard K, Freckmann G, Hepp KD, Gerstenberg MC, Weber A. Accurate Post-Calibration Predictions for Noninvasive Glucose Measurements in People Using Confocal Raman Spectroscopy. *ACS Sens*. 2023 Mar 6. Doi: 10.1021/acssensors.2c02756
 20. Stephan P, Eichenlaub M, Waldenmaier D, Pleus S, Rothenbühler M, Haug C, Freckmann G. A Statistical Approach for Assessing the Compliance of Integrated Continuous Glucose Monitoring Systems with Food and Drug Administration Accuracy Requirements. *Diabetes Technol. Ther*. 2023 Mar;25(3):212-216.
 21. Hermanns N, Ehrmann D, Finke-Gröne K, Roos T, Freckmann G, Kulzer B. Evaluation of a Digital Health Tool for Titration of Basal Insulin in People With Type 2 Diabetes: Rationale and Design of a Randomized Controlled Trial. *J Diabetes Sci Technol*. 2023 Jul;18(4):946-955
 22. Waldenmaier D, Buck S, Pleus S, Beltzer A, Schauer S, Link M, Zschornack E, Jendrike N, Haug C, Freckmann G. Meal responses in people without diabetes using continuous glucose monitoring. *Diabetes Stoffw Herz* 2023; 31:61–68

2022

1. Thomas A, Schlüter S, Naudorf M, Deiss D, Freckmann G, Danne T. Einsatz und Evidenz des Kontinuierlichen Glukosemonitorings (CGM) bei Menschen mit Diabetes, überwiegend behandelt mit ICT. *Diabetes Stoffw Herz*. 2022;31:92-109.
2. Schlüter S, Deiss D, Gehr B, Lange K, von Sengbusch S, Thomas A, Ziegler R, Freckmann G. Glukosemessung und -kontrolle bei Patienten mit Typ-1- oder Typ-2-Diabetes. *Diabetologie*. 2022;17(Suppl 2):S111–S132.
3. Landgraf R, Heinemann L, Schleicher E, Gerdes C, Petersmann A, Müller-Wieland D, Müller U, Freckmann G, Thaler M, Ziegler A, Kleinwechter H, Nauck M. Definition, Klassifikation, Diagnostik und Differenzialdiagnostik des Diabetes mellitus: Update 2022. *Diabetologie*. 2022;17(Suppl 2):S98–S110.
4. Schleicher E, Gerdes C, Petersmann A, Müller-Wieland D, Müller UA, Freckmann G, Heinemann L, Nauck M, Landgraf R. Definition, Classification and Diagnosis of Diabetes Mellitus. *Exp Clin Endocrinol Diabetes* 2022; 130(S 01): S1-S8
5. Schlüter S, Deiss D, Gehr B, Lange K, von Sengbusch S, Thomas A, Ziegler R, Freckmann G. Glucose Measurement and Control in Patients with Type 1 or Type 2 Diabetes. *Exp Clin Endocrinol Diabetes*. 2022 Sep;130(S 01):S19-S38.
6. Hermanns N, Ehrmann D, Heinemann L, Freckmann G, Waldenmaier D, Calhoun P. Real-Time Continuous Glucose Monitoring Can Predict Severe Hypoglycemia in People with Type 1 Diabetes: Combined Analysis of the HypoDE and DIAMOND Trials. *Diabetes Technol Ther*. 2022 Sep;24(9):603-610.
7. Pleus S, Freckmann G, Baumstark A, Haug C. Stability of Glucose Concentrations in Frozen Plasma. *J Diabetes Sci Technol*. 2022 Sep;16(5):1096-1100.
8. Pleus S, Heinemann L, Freckmann G, Nauck M, Tytko A, Kaiser P, Petersmann A. Glukosemessung in der Diabetesdiagnostik und -therapie: Laboratoriumsmedizinische Untersuchung inkl. patientennaher Sofortdiagnostik, Blutglukoseselbstmessung und kontinuierliches Glukosemonitoring. *Diabetologie und Stoffwechsel* 2022;17(01):52-60
9. Freckmann G, Baumstark A, Jendrike N, Mende J, Schauer S, Link M, Pleus S, Haug C. Impact of Two Different Reference Measurement Procedures on Apparent System Accuracy of 18 CE-Marked Current-Generation Blood Glucose Monitoring Systems. *J Diabetes Sci Technol*. 2022 Sep;16(5):1076-1088.
10. Freckmann G, Mende J, Pleus S, Waldenmaier D, Baumstark A, Jendrike N, Haug C. Mean Absolute Relative Difference of Blood Glucose Monitoring Systems and Relationship to ISO 15197. *J Diabetes Sci Technol*. 2022 Sep;16(5):1089-1095.
11. Eichenlaub M, Saccomani MP, Hattersley JG, Khovanova NA. Comment on “Minimal and Maximal Models to Quantitate Glucose Metabolism: Tools to Measure, to Simulate and to Run in Silico Clinical Trials”. *J Diabetes Sci Technol*. 2022 Sep;16(5):1344-1345.
12. Buck S, Krauss C, Waldenmaier D, Liebing C, Jendrike N, Högel J, Pfeiffer BM, Haug C, Freckmann G. Evaluation of Meal Carbohydrate Counting Errors in Patients with Type 1 Diabetes. *Exp Clin Endocrinol Diabetes*. 2022 Jul;130(7):475-483.
13. Baumstark A, Mende J, Uchiyama J, Haug C, Freckmann G. Description of a Novel Patch Pump for Insulin Delivery and Comparative Accuracy Evaluation. *J Diabetes Sci Technol*. 2022 Jul;16(4):971-975.
14. Freckmann G, Heinemann L, Pleus S, Petersmann A, Kaiser P, Nauck M. Messqualität bei der Glukosemessung im Rahmen der Diabetesdiagnose und- therapie in Deutschland. *Dtsch Med Wochenschr*. 2022 Jun 20;147:407-413.
15. Freckmann G, Pleus S, Schauer S, Link M, Jendrike N, Waldenmaier D, Haug C, Stuhr A. Choice of Continuous Glucose Monitoring Systems May Affect Metrics: Clinically Relevant Differences in Times in Ranges. *Exp Clin Endocrinol Diabetes*. 2022 May;130(5):343-350.

16. Kulzer B, Freckmann G, Heinemann L, Schnell O, Hinzmann R, Ziegler R. Patch Pumps: What are the advantages for people with diabetes? *Diabetes Res Clin Pract.* 2022 May;187:109858.
17. Baumstark A, Pleus S, Hartwig M, Freckmann G. Evaluation of Trueness and Precision of a Bench-Top Laboratory Glucose Analyzer Using Reference Materials. *J Diabetes Sci Technol.* 2022 May;16(3):751-755.
18. Freckmann G, Baumstark A, Hinzmann R, Haug C, Pleus S. Comment on "Do We Need the Replacement of YSI 2300? A View from the Clinical Laboratory" by Spanou and Makris. *J Diabetes Sci Technol.* 2022 May;16(3):790-791.
19. Kaiser P, Freckmann G, Petersmann A, Nauck M, Heinemann L. HbA1c- Messungen im Ringversuch: Anpassungen der Akzeptanzgrenzen in der Rili-BÄK. *Diabetes Stoffw Herz* 2022(31):303-310
20. Pleus S, Stuhr A, Link M, Schauer S, Freckmann G. Response to Seibold: Data Obtained With Early Generations of CGM Sensors: Comment on Pleus et al. *J Diabetes Sci Technol.* 2022 May;16(3):794-795.
21. Pleus S, Stuhr A, Link M, Haug C, Freckmann G. Variation of Mean Absolute Relative Differences of Continuous Glucose Monitoring Systems Throughout the Day. *J Diabetes Sci Technol.* 2022 May;16(3):649-658.
22. Pleus S, Freckmann G, Schauer S, Heinemann L, Ziegler R, Ji L, Mohan V, Calliari LE, Hinzmann R. Self-Monitoring of Blood Glucose as an Integral Part in the Management of People with Type 2 Diabetes Mellitus. *Diabetes Ther.* 2022 May;13(5):829-846.
23. Moser O, Sternad C, Eckstein ML, Szadkowska A, Michalak A, Mader JK, Ziko H, Elsayed H, Aberer F, Sola-Gazagnes A, Larger E, Fadini GP, Bonora BM, Bruttomesso D, Boscari F, Freckmann G, Pleus S, Christiansen SC, Sourij H. Performance of intermittently scanned continuous glucose monitoring systems in people with type 1 diabetes: A pooled analysis. *Diabetes Obes Metab.* 2022 Mar;24(3):522-529.
24. Schlüter S, Freckmann G, Wernsing M, Roelver K, Joerdening M, Holder M, Lange K. Entwicklung und psychometrische Evaluation eines herstellerunabhängigen Wissenstests zum kontinuierlichen Glukosemonitoring in Echtzeit für insulinbehandelte Menschen mit Diabetes. *Diabetologie.* 2022; 17:129-135.
25. Deiss D., Waldenmaier D., Carstensen S., von Sengbusch S., Freckmann G., Schlüter S. Steckbriefe für Systeme zur Automatisierten Insulin-Dosierung. *Diabetes, Stoffw Herz* 2022;31:36-43.
26. Mende J, Eichenlaub M, Waldenmaier D, Haug C, Freckmann G, Ziegler R. Evaluation of the Accuracy and Reliability of a Tubeless Insulin Infusion System Under Laboratory Conditions. *J Diabetes Sci Technol.* 2022 May;16(3):788-789.

2021

1. Freckmann G, Nichols JH, Hinzmann R, Klonoff DC, Ju Y, Diem P, Makris K, Slingerland RJ. Standardization process of continuous glucose monitoring: Traceability and performance. *Clin Chim Acta*. 2021 Apr;515:5-12.
2. Ziegler R, Heinemann L, Freckmann G, Schnell O, Hinzmann R, Kulzer B. Intermittent Use of Continuous Glucose Monitoring: Expanding the Clinical Value of CGM. *J Diabetes Sci Technol*. 2021 May;15(3):684-694.
3. Freckmann G, Buck S, Waldenmaier D, Kulzer B, Schnell O, Gelchsheimer U, Ziegler R, Heinemann L. Insulin Pump Therapy for Patients With Type 2 Diabetes Mellitus: Evidence, Current Barriers, and New Technologies. *J Diabetes Sci Technol*. 2021 Jul;15(4):901-915.
4. Ziegler R, Oliver N, Waldenmaier D, Mende J, Haug C, Freckmann G. Evaluation of the Accuracy of Current Tubeless Pumps for Continuous Subcutaneous Insulin Infusion. *Diabetes Technol Ther*. 2021 May;23(5):350-357.
5. Kress S, Anderten H, Borck A, Freckmann G, Heinemann L, Holzmüller U, Kulzer B, Portele A, Schnell O, Varlemann H, Zemmrich C, Lobmann R. Preulcerous Risk Situation in Diabetic Foot Syndrome: Proposal for a Simple Ulcer Prevention Score. *J Diabetes Sci Technol*. 2021 Jul;15(4):816-826.
6. Auzanneau M, Rosenbauer J, Maier W, von Sengbusch S, Hamann J, Kapellen T, Freckmann G, Schmidt S, Lilienthal E, Holl RW. Heterogeneity of Access to Diabetes Technology Depending on Area Deprivation and Demographics Between 2016 and 2019 in Germany. *J Diabetes Sci Technol*. 2021 Sep;15(5):1059-1068.
7. Freckmann G, Buck S, Waldenmaier D, Zschornack E, Link M, Jendrike N, Obstfelder I, Vetrugno S, Kamann S, Haug C. Skin Reaction Report Form: Development and Design of a Standardized Report Form for Skin Reactions Due to Medical Devices for Diabetes Management. *J Diabetes Sci Technol*. 2021 Jul;15(4):801-806.
8. Pleus S, Kamecke U, Waldenmaier D, Link M, Zschornack E, Jendrike N, Haug C, Freckmann G. Time in Specific Glucose Ranges, Glucose Management Indicator, and Glycemic Variability: Impact of Continuous Glucose Monitoring (CGM) System Model and Sensor on CGM Metrics. *J Diabetes Sci Technol*. 2021 Sep;15(5):1104-1110.
9. Waldenmaier D, Freckmann G, Pleus S, Hermanns N, Ehrmann D, Heinemann L, Haug C. Therapy adjustments in people with type 1 diabetes with impaired hypoglycemia awareness on multiple daily injections using real-time continuous glucose monitoring: a mechanistic analysis of the HypoDE study. *BMJ Open Diabetes Res Care*. 2021 Apr;9(1):e001848.
10. Schleicher E, Gerdes C, Petersmann A, Müller-Wieland D, Müller UA, Freckmann G, Heinemann L, Nauck M, Landgraf R. Definition, Klassifikation und Diagnostik des Diabetes mellitus: Update 2021. *Diabetologie*. 2021;16(Suppl 2):S110–S118.
11. Schlüter S, Deiss D, Gehr B, Lange K, von Sengbusch S, Thomas A, Ziegler R, Freckmann G. Glukosemessung und -kontrolle bei Patienten mit Typ-1-oder Typ-2-Diabetes. *Diabetologie*. 2021;16(Suppl 2):S119–S141.
12. Thomas A, Freckmann G. Wie valide ist für Patienten mit Typ-2-Diabetes der Einsatz von Diabetestechnologie? *Diabetes Stoffw Herz*. 2021;30:244-251.
13. Schlüter S, Freckmann G, Heinemann L, Wintergerst P, Lange K. Evaluation of the SPECTRUM training programme for real-time continuous glucose monitoring: A real-world multicentre prospective study in 120 adults with type 1 diabetes. *Diabet Med*. 2021 Feb;38(2):e14467.
14. Schlüter S, Freckmann G, Heinemann L, Wintergerst P, Lange K. Evaluierung des SPECTRUM-Schulungs- und Behandlungsprogramms zum rtCGM: eine multizentrische, prospektive Studie aus der Praxis bei 120 Erwachsenen mit Diabetes. *Diabetes Stoffw Herz*. 2021;30,02/2021:85-94

15. Pleus S, Kaiser P, Haug C. Glukosemessmethoden und ihr Einsatz, Qualitätssicherung und rechtliche Rahmenbedingungen bei Laboranalyse-, POCT- und CGM-Systemen. Diabetes aktuell. 2021;19:8-13
16. Freckmann G, Buck S, Waldenmaier D, Haug C. Methoden der Stoffwechselkontrolle – HbA1c versus „time in range“. Diabetologe. 2021; 17:223–234
17. Petersen B, Vesper I, Pachwald B, Dagenbach N, Buck S, Waldenmaier D, Heinemann L. Diabetes management intervention studies: lessons learned from two studies. Trials. 2021 Jan 18;22(1):61.
18. Pleus S, Schauer S, Jendrike N, Zschornack E, Link M, Hepp KD, Haug C, Freckmann G. Proof of Concept for a New Raman-Based Prototype for Noninvasive Glucose Monitoring. J Diabetes Sci Technol. 2021 Jan;15(1):11-18.
19. Link M, Kamecke U, Waldenmaier D, Pleus S, Garcia A, Haug C, Freckmann G. Comparative Accuracy Analysis of a Real-time and an Intermittent-Scanning Continuous Glucose Monitoring System. J Diabetes Sci Technol. 2021 Mar;15(2):287-293.

2020

1. Heinemann L, Nagel-Reuper C, Adamczewski, Freckmann G. Diagnostik des Gestationsdiabetes mellitus in der Praxis. Diabetes aktuell. 2020;18:329-335.
2. Tytko A, Schlüter S, Freckman G. Diabetesdiagnostik in der Praxis. Diabetes aktuell. 2020;18:316-322.
3. Thomas A, Kolassa R. Messwertunterschiede und Messgenauigkeit von Systemen zum kontinuierlichen Glukosemonitoring. Diabetes aktuell. 2020;18:336-341.
4. Baumstark A, Jendrike N. Blutzuckerselbstmessung – wie kann ein korrekter Wert erzielt werden? Diabetes aktuell. 2020;18:323-327.
5. Nauck M, Gerdes C, Petersmann A, Müller-Wieland D, Müller U, Freckmann G, Heinemann L, Schleicher E, Landgraf R. Definition, Klassifikation und Diagnostik des Diabetes mellitus*:Update 2020. Diabetologie. 2020;15(Suppl 1):S9-S17.
6. Kulzer B, Anderten H, Borck A, Freckmann G. Verbesserung der Blutzuckereinstellung und des Empowerments bei Patienten mit Diabetes durch Selbstkontrolle des HbA1-Werts - eine nicht interventionelle Studie. Diab Stoffw Herz. 2020;29(1):9-14.
7. Blödt S, Brüggemann M, Freckmann G, Haase D, Heinemann L, Hoffmüller P, Hunfeld K, Klar E, Meisel C, Müller C, Nothacker M, Rabenaus H, Sachs U, Spitzenberger, F Stenzinger A, Vogeser M, Weichert W, Weinstock C, Zimmermann S. Europäische Verordnung über In-vitro-Diagnostika (IVDR) – Hinweis der Sektion „In-vitro-Diagnostik (IVD)“ der Ad-hoc-Kommission „Bewertung von Medizinprodukten“ der AWMF an alle Ärzte, die Labordiagnostik betreiben. GMS Zeitschrift zur Förderung der Qualitätssicherung in medizinischen Laboratorien. 2020;11.
8. Freckmann G, Buck S, Waldenmaier D, Zschornack E, Link M, Jendrike N, Obstfelder I, Vetrugno S, Kamann S, Haug C. Befundbogen zum Erfassen von Hautreaktionen im Diabetesmanagement. Diab Stoffw Herz. 2020;29(4):217-222.
9. Buck S, Waldenmaier D, Haug C, Freckmann G, Rendschmidt T, Künsting T. Entwicklung einer neuen Patch-Pumpe für die Insulintherapie. Diab Stoffw Herz. 2020;29(3):159-163.
10. Pleus S, Jendrike N, Kamecke U, Baumstark A, Liebing C, Freckmann G. Messgenauigkeit zweier in der diabetologischen Praxis verwendeten POCT-Glukose-Messsysteme. Diab Stoffw Herz. 2020;29(2):85-95.
11. Galindo RJ, Umpierrez GE, Rushakoff RJ, Basu A, Lohnes S, Nichols JH, Spanakis EK, Espinoza J, Palermo NE, Awadje DG, Bak L, Buckingham B, Cook CB, Freckmann G, Heinemann L, Hovorka R, Mathioudakis N, Newman T, O'Neal DN, Rickert M, Sacks DB, Seley JJ, W Continuous Glucose Monitors and Automated Insulin Dosing Systems in the Hospital Consensus Guideline. J Diabetes Sci Technol. 2020 Nov;14(6):1035-1064.
12. Han J, Heinemann L, Ginsberg BH, Alva S, Appel M, Bess S, Chen KY, Freckmann G, Harris DR, Hartwig M, Hinzmann R, Kerr D, Krouwer J, Morrow L, Nichols J, Pfützner A, Pleus S, Rice M, Sacks DB, Schlueter K, Vesper HW, Klonoff DC. The YSI 2300 Analyzer Replacement Meeting Report. J Diabetes Sci Technol. 2020 May;14(3):679-686.
13. Waldenmaier D, Zschornack E, Buhr A, Pleus S, Haug C, Freckmann G. A Prospective Study of Insulin Infusion Set Use for up to 7 Days: Early Replacement Reasons and Impact on Glycemic Control. Diabetes Technol Ther. 2020 Oct;22(10):734-741.
14. Ziegler R, Waldenmaier D, Kamecke U, Mende J, Haug C, Freckmann G. Accuracy assessment of bolus and basal rate delivery of different insulin pump systems used in insulin pump therapy of children and adolescents. Pediatr Diabetes. 2020 Jun;21(4):649-656.
15. Pleus S, Baumstark A, Jendrike N, Mende J, Link M, Zschornack E, Haug C, Freckmann G. System accuracy evaluation of 18 CE-marked current-generation blood glucose monitoring systems based on EN ISO 15197:2015. BMJ Open Diabetes Res Care. 2020 Jan;8(1):e001067.

16. Baumstark A, Jendrike N, Kamecke U, Liebing C, Pleus S, Freckmann G. Measurement accuracy of two professional-use systems for point-of-care testing of blood glucose. *Clin Chem Lab Med.* 2020 Feb 25;58(3):445-455.
17. Heinemann L, Freckmann G, Müller-Wieland D, Kellerer M. Critical Reappraisal of the Time-in-Range: Alternative or Useful Addition to Glycated Hemoglobin? *J Diabetes Sci Technol.* 2020 Sep;14(5):922-927.
18. Oliver N, Gimenez M, Calhoun P, Cohen N, Moscardo V, Hermanns N, Freckmann G, Reddy M, Heinemann L. Continuous Glucose Monitoring in People With Type 1 Diabetes on Multiple-Dose Injection Therapy: The Relationship Between Glycemic Control and Hypoglycemia. *Diabetes Care.* 2020 Jan;43(1):53-58.
19. Ulbrich S, Waldenmaier D, Haug C, Freckmann G, Rendschmidt T, Künsting T. Concept and Implementation of a Novel Patch Pump for Insulin Delivery. *J Diabetes Sci Technol.* 2020 Mar;14(2):324-327.
20. Heinemann L, Schoemaker M, Schmelzeisen-Redecker G, Hinzmann R, Kassab A, Freckmann G, Reiterer F, Del Re L. Benefits and Limitations of MARD as a Performance Parameter for Continuous Glucose Monitoring in the Interstitial Space. *J Diabetes Sci Technol.* 2020 Jan;14(1):135-150.

2019

1. Heinemann L, Deiss D, Siegmund T, Schlüter S, Naudorf M, Sengbusch SV, Lange K, Freckmann G. Glucose Measurement and Control in Patients with Type 1 or Type 2 Diabetes. *Exp Clin Endocrinol Diabetes*. 2019 Dec;127(S 01):S8-S26.
2. Petersmann A, Müller-Wieland D, Müller UA, Landgraf R, Nauck M, Freckmann G, Heinemann L, Schleicher E. Definition, Classification and Diagnosis of Diabetes Mellitus. *Exp Clin Endocrinol Diabetes*. 2019 Dec;127(S 01):S1-S7.
3. Freckmann G, Pleus S, Baumstark A. Comment on "accuracy and precision of four main glucometers used in a sub-Saharan African country: a cross-sectional study" by Choukem et al. *Pan Afr Med J*. 2019 Jul 30;33:271.
4. Pleus S, Ulbrich S, Zschornack E, Kamann S, Haug C, Freckmann G. Documentation of Skin-Related Issues Associated with Continuous Glucose Monitoring Use in the Scientific Literature. *Diabetes Technol Ther*. 2019 Oct;21(10):538-545.
5. Freckmann G, Kamecke U, Waldenmaier D, Haug C, Ziegler R. Accuracy of Bolus and Basal Rate Delivery of Different Insulin Pump Systems. *Diabetes Technol Ther*. 2019 Apr;21(4):201-208.
6. Hermanns N, Heinemann L, Freckmann G, Waldenmaier D, Ehrmann D. Impact of CGM on the Management of Hypoglycemia Problems: Overview and Secondary Analysis of the HypoDE Study. *J Diabetes Sci Technol*. 2019 Jul;13(4):636-644.
7. Baumstark A, Pleus S, Jendrike N, Liebing C, Hinzmann R, Haug C, Freckmann G. Proof of Concept Study to Assess the Influence of Oxygen Partial Pressure in Capillary Blood on SMBG Measurements. *J Diabetes Sci Technol*. 2019 Nov;13(6):1105-1111.
8. Freckmann G, Link M, Kamecke U, Haug C, Baumgartner B, Weitgasser R. Performance and Usability of Three Systems for Continuous Glucose Monitoring in Direct Comparison. *J Diabetes Sci Technol*. 2019 Sep;13(5):890-898.
9. Ehrmann D, Heinemann L, Freckmann G, Waldenmaier D, Faber-Heinemann G, Hermanns N. The Effects and Effect Sizes of Real-Time Continuous Glucose Monitoring on Patient-Reported Outcomes: A Secondary Analysis of the HypoDE Study. *Diabetes Technol Ther*. 2019 Feb;21(2):86-93.
10. Jendrike N, Baumstark A, Pleus S, Mende J, Haug C, Freckmann G. Assessment of System Accuracy, Intermediate Measurement Precision, and Measurement Repeatability of a Blood Glucose Monitoring System Based on ISO 15197. *J Diabetes Sci Technol*. 2019 Mar;13(2):235-241.
11. Freckmann G, Pleus S, Grady M, Setford S, Levy B. Measures of Accuracy for Continuous Glucose Monitoring and Blood Glucose Monitoring Devices. *J Diabetes Sci Technol*. 2019 May;13(3):575-583.
12. Pleus S, Kamecke U, Waldenmaier D, Freckmann G. Reporting Insulin Pump Accuracy: Trumpet Curves According to IEC 60601-2-24 and Beyond. *J Diabetes Sci Technol*. 2019 May;13(3):592-596.
13. Pleus S, Jendrike N, Baumstark A, Mende J, Haug C, Freckmann G. Evaluation of Analytical Performance of Three Blood Glucose Monitoring Systems: System Accuracy, Measurement Repeatability, and Intermediate Measurement Precision. *J Diabetes Sci Technol*. 2019 Jan;13(1):111-117.
14. Heinemann L, Waldenmaier D, Kulzer B, Ziegler R, Ginsberg B, Freckmann G. Patch Pumps: Are They All the Same? *J Diabetes Sci Technol*. 2019 Jan;13(1):34-40.
15. Kamecke U, Waldenmaier D, Haug C, Ziegler R, Freckmann G. Establishing Methods to Determine Clinically Relevant Bolus and Basal Rate Delivery Accuracy of Insulin Pumps. *J Diabetes Sci Technol*. 2019 Jan;13(1):60-67.

16. Waldenmaier D, Zschornack E, Kalt L, Buhr A, Pleus S, Haug C, Freckmann G. First User Experiences With a Novel Touchscreen-Based Insulin Pump System in Daily Life of Patients With Type 1 Diabetes Experienced in Insulin Pump Therapy. *J Diabetes Sci Technol.* 2019 Jan;13(1):96-102.
17. Jendrike N, Baumstark A, Pleus S, Liebing C, Kamecke U, Haug C, Freckmann G. Accuracy of five systems for self-monitoring of blood glucose in the hands of adult lay-users and professionals applying ISO 15197:2013 accuracy criteria and potential insulin dosing errors. *Curr Med Res Opin.* 2019 Feb;35(2):301-311.

2018

1. Heinemann L, Stuhr A, Brown A, Freckmann G, Breton MD, Russell S, Heinemann L. Self-measurement of Blood Glucose and Continuous Glucose Monitoring - Is There Only One Future? *Eur Endocrinol*. 2018 Sep;14(2):24-29.
2. Heinemann L, Kaiser P, Freckmann G, Grote-Koska D, Kerner W, Landgraf R, Merker L, Müller UA, Müller-Wieland D, Roth J, Spannagl M, Wallaschofski H, Nauck M. Correction: Higher HbA1c Measurement Quality Standards are Needed for Follow-Up and Diagnosis: Experience and Analyses from Germany. *Horm Metab Res*. 2018 Oct;50(10):e5.
3. Landgraf R, Nauck M, Freckmann G, Müller UA, Heinemann L, Kellerer M, Müller-Wieland D. Fallstricke bei der Diabetesdiagnostik: Wird zu lax mit Laborwerten umgegangen? *Dtsch Med Wochenschr*. 2018 Oct;143(21):1549-1555.
4. Heinemann L, Kaiser P, Freckmann G, Grote-Koska D, Kerner W, Landgraf R, Merker L, Müller UA, Müller-Wieland D, Roth J, Spannagl M, Wallaschofski H, Nauck M. Higher HbA1c Measurement Quality Standards are Needed for Follow-Up and Diagnosis: Experience and Analyses from Germany. *Horm Metab Res*. 2018 Oct;50(10):728-734.
5. Freckmann G, Link M, Pleus S, Westhoff A, Kamecke U, Haug C. Measurement Performance of Two Continuous Tissue Glucose Monitoring Systems Intended for Replacement of Blood Glucose Monitoring. *Diabetes Technol Ther*. 2018 Aug;20(8):541-549.
6. Freckmann G, Link M, Westhoff A, Kamecke U, Pleus S, Haug C. Prediction Quality of Glucose Trend Indicators in Two Continuous Tissue Glucose Monitoring Systems. *Diabetes Technol Ther*. 2018 Aug;20(8):550-556.
7. Heinemann L, Deiss D, Siegmund T, Schlüter S, Naudorf M, von Sengbusch S, Lange K, Freckmann G. Practical Recommendations for Glucose Measurement, Glucose Monitoring and Glucose Control in Patients with Type 1 or Type 2 Diabetes in Germany. *Exp Clin Endocrinol Diabetes*. 2018 Jul;126(7):411-428.
8. Petersmann A, Nauck M, Müller-Wieland D, Kerner W, Müller UA, Landgraf R, Freckmann G, Heinemann L. Definition, Classification and Diagnosis of Diabetes Mellitus. *Exp Clin Endocrinol Diabetes*. 2018 Jul;126(7):406-410.
9. Schrangl P, Reiterer F, Heinemann L, Freckmann G, Del Re L. Limits to the Evaluation of the Accuracy of Continuous Glucose Monitoring Systems by Clinical Trials. *Biosensors (Basel)*. 2018 May 18;8(2):50.
10. Baumstark A, Liebing C, Jendrike N, Pleus S, Haug C, Freckmann G. Evaluation of Hematocrit Influence on Measurements With a Novel Self-Monitoring of Blood Glucose System Based on ISO 15197:2013. *J Diabetes Sci Technol*. 2018 Sep;12(5):1078-1079.
11. Jendrike N, Baumstark A, Pleus S, Liebing C, Beer A, Flacke F, Haug C, Freckmann G. Evaluation of Four Blood Glucose Monitoring Systems for Self-Testing with Built-in Insulin Dose Advisor Based on ISO 15197:2013: System Accuracy and Hematocrit Influence. *Diabetes Technol Ther*. 2018 Apr;20(4):303-313.
12. Freckmann G, Jendrike N, Baumstark A, Pleus S, Liebing C, Haug C. User Performance Evaluation of Four Blood Glucose Monitoring Systems Applying ISO 15197:2013 Accuracy Criteria and Calculation of Insulin Dosing Errors. *Diabetes Ther*. 2018 Apr;9(2):683-697.
13. Heinemann L, Freckmann G, Ehrmann D, Faber-Heinemann G, Guerra S, Waldenmaier D, Hermanns N. Real-time continuous glucose monitoring in adults with type 1 diabetes and impaired hypoglycaemia awareness or severe hypoglycaemia treated with multiple daily insulin injections (HypoDE): a multicentre, randomised controlled trial. *Lancet*. 2018 Apr 7;391(10128):1367-1377.

14. Pleus S, Heinemann L, Freckmann G. Blood Glucose Monitoring Data Should Be Reported in Detail When Studies About Efficacy of Continuous Glucose Monitoring Systems Are Published. *J Diabetes Sci Technol*. 2018 Sep;12(5):1061-1063.
15. Baumstark A, Jendrike N, Liebing C, Haug C, Freckmann G. System Accuracy and User Performance Evaluation of an Improved System for Self-Monitoring of Blood Glucose. *J Diabetes Sci Technol*. 2018 Mar;12(2):407-411.
16. Freckmann G, Kamecke U, Waldenmaier D, Haug C, Ziegler R. Occlusion Detection Time in Insulin Pumps at Two Different Basal Rates. *J Diabetes Sci Technol*. 2018 May;12(3):608-613.
17. Pleus S, Kamecke U, Link M, Haug C, Freckmann G. Flash Glucose Monitoring: Differences Between Intermittently Scanned and Continuously Stored Data. *J Diabetes Sci Technol*. 2018 Mar;12(2):397-400.
18. Baumstark A, Jendrike N, Pleus S, Liebing C, Haug C, Freckmann G. Accuracy Evaluation of a New System for Self-Monitoring of Blood Glucose With Three Test Strip Lots Based on ISO 15197:2013. *J Diabetes Sci Technol*. 2018 Mar;12(2):539-540.
19. Waldenmaier D, Schölkopf K, Westhoff A, Heinemann L, Freckmann G. Comparative Handling Analysis of Different Insulin Pump Systems. *J Diabetes Sci Technol*. 2018 Mar;12(2):401-406.

2017

1. Sieber J, Flacke F, Link M, Haug C, Freckmann G. Improved Glycemic Control in a Patient Group Performing 7-Point Profile Self-Monitoring of Blood Glucose and Intensive Data Documentation: An Open-Label, Multicenter, Observational Study. *Diabetes Ther*. 2017 Oct;8(5):1079-1085.

2. Jendrike N, Baumstark A, Kamecke U, Haug C, Freckmann G. ISO 15197: 2013 Evaluation of a Blood Glucose Monitoring System's Measurement Accuracy. *J Diabetes Sci Technol.* 2017 Nov;11(6):1275-1276.
3. Freckmann G, Schlüter S, Heinemann L; Diabetes Technology Working Group of the German Diabetes Society. Replacement of Blood Glucose Measurements by Measurements With Systems for Real-Time Continuous Glucose Monitoring (rtCGM) or CGM With Intermittent Scanning (iscCGM): A German View. *J Diabetes Sci Technol.* 2017 Jul;11(4):653-656.
4. Baumstark A, Jendrike N, Pleus S, Haug C, Freckmann G. Evaluation of Accuracy of Six Blood Glucose Monitoring Systems and Modeling of Possibly Related Insulin Dosing Errors Diabetes. *Technol Ther.* 2017 Oct;19(10):580-588.
5. Kamecke U, Baumstark A, Jendrike N, Haug C, Freckmann G. Accuracy Assessment of an Improved Version of an Established Blood Glucose Monitoring System for Self-Testing Following ISO 15197:2013. *J Diabetes Sci Technol.* 2017 Jul;11(4):851-853.
6. Freckmann G, Baumstark A, Pleus S. Do the New FDA Guidance Documents Help Improving Performance of Blood Glucose Monitoring Systems Compared With ISO 15197? *J Diabetes Sci Technol.* 2017 Nov;11(6):1240-1246.
7. Jendrike N, Baumstark A, Chen CH, Rittmeyer D, Haug C, Freckmann G. Introduction of a Novel Smartphone-Coupled Blood Glucose Monitoring System. *J Diabetes Sci Technol.* 2017 Nov;11(6):1231-1233.
8. Pleus S, Flacke F, Sieber J, Haug C, Freckmann G. Strengths and Limitations of New Approaches for Graphical Presentation of Blood Glucose Monitoring System Accuracy Data. *J Diabetes Sci Technol.* 2017 Nov;11(6):1226-1230.
9. Klonoff DC, Freckmann G, Heinemann L. Insulin Pump Occlusions: For Patients Who Have Been Around the (Infusion) Block. *J Diabetes Sci Technol.* 2017 May;11(3):451-454.
10. Walsh J, Freckmann G, Roberts R, Heinemann L. Bolus Calculator Safety Mandates a Need for Standards. *J Diabetes Sci Technol.* 2017 Jan;11(1):3-6.
11. Freckmann G, Baumstark A, Jendrike N, Rittmeyer D, Pleus S, Haug C. Accuracy Evaluation of Four Blood Glucose Monitoring Systems in the Hands of Intended Users and Trained Personnel Based on ISO 15197 Requirements. *Diabetes Technol Ther.* 2017 Apr;19(4):246-254.
12. Freckmann G, Arndt S, Fießelmann A, Klausmann G, Pralle K, Künsting T, Petersen B. Randomized Cross-Over Study Comparing Two Infusion Sets for CSII in Daily Life. *J Diabetes Sci Technol.* 2017 Mar;11(2):253-259.
13. Reiterer F, Polterauer P, Schoemaker M, Schmelzeisen-Redecker G, Freckmann G, Heinemann L, Del Re L. Significance and Reliability of MARD for the Accuracy of CGM Systems. *J Diabetes Sci Technol.* 2017 Jan;11(1):59-67.
14. Gehr B, Holder M, Kulzer B, Lange K, Liebl A, Sahm C, von Sengbusch S, Schlüter S, Siegmund T, Thurm U, Ziegler R, Freckmann G, Heinemann L; SPECTRUM Group. SPECTRUM. *J Diabetes Sci Technol.* 2017 Mar;11(2):284-289.
15. Ziegler R, Freckmann G, Heinemann L. Boluses in Insulin Therapy. *J Diabetes Sci Technol.* 2017 Jan;11(1):165-171.

2016

1. Heinemann L, Drossel D, Freckmann G, Kulzer B. Usability of Medical Devices for Patients With Diabetes Who Are Visually Impaired or Blind. *J Diabetes Sci Technol*. 2016 Nov 1;10(6):1382-1387.
2. Erbach M, Freckmann G, Hinzmann R, Kulzer B, Ziegler R, Heinemann L, Schnell O. Interferences and Limitations in Blood Glucose Self-Testing: An Overview of the Current Knowledge. *J Diabetes Sci Technol*. 2016 Aug 22;10(5):1161-1168.
3. Freckmann G, Pleus S, Schlüter S, Heinemann L. Comment on "The Performance and Usability of a Factory-Calibrated Flash Glucose Monitoring System" by Bailey et al. *Diabetes Technol Ther*. 2016 May;18(5):334-335.
4. Pleus S, Baumstark A, Rittmeyer D, Jendrike N, Haug C, Freckmann G. Performance of two updated blood glucose monitoring systems: an evaluation following ISO 15197:2013. *Curr Med Res Opin*. 2016 May;32(5):847-855.

2015

1. Stephan P, Schmid C, Freckmann G, Pleus S, Haug C, Müller P. The Rectangle Target Plot: A New Approach to the Graphical Presentation of Accuracy of Systems for Self-Monitoring of Blood Glucose. *J Diabetes Sci Technol*. 2015 Oct 9;10(2):343-349.
2. Baumstark A, Kraft M, Hattemer A, Haug C, Freckmann G. Accuracy Evaluation of an Integrated Blood Glucose Monitoring System With Improved Test Cassettes Following ISO 15197:2013. *J Diabetes Sci Technol*. 2015 Oct 1;10(1):242-244.
3. Kirchsteiger H, Heinemann L, Freckmann G, Lodwig V, Schmelzeisen-Redeker G, Schoemaker M, Del Re L. Performance Comparison of CGM Systems: MARD Values Are Not Always a Reliable Indicator of CGM System Accuracy. *J Diabetes Sci Technol*. 2015 Sep 1;9(5):1030-1040.
4. Heinemann L, Freckmann G. CGM Versus FGM; or, Continuous Glucose Monitoring Is Not Flash Glucose Monitoring. *J Diabetes Sci Technol*. 2015 Sep 1;9(5):947-950.
5. Schmelzeisen-Redeker G, Schoemaker M, Kirchsteiger H, Freckmann G, Heinemann L, Del Re L. Time Delay of CGM Sensors: Relevance, Causes, and Countermeasures. *J Diabetes Sci Technol*. 2015 Aug 4;9(5):1006-1015.
6. Heinemann L, Zijlstra E, Pleus S, Freckmann G. Performance of Blood Glucose Meters in the Low-Glucose Range: Current Evaluations Indicate That it is not Sufficient From a Clinical Point of View. *Diabetes Care*. 2015 Sep;38(9):e139-e140.
7. Freckmann G, Link M, Schmid C, Pleus S, Baumstark A, Haug C. System Accuracy Evaluation of Different Blood Glucose Monitoring Systems Following ISO 15197:2013 by Using Two Different Comparison Methods. *Diabetes Technol Ther*. 2015 Sep;17(9):635-648.
8. Freckmann G, Pleus S, Link M, Baumstark A, Schmid C, Högel J, Haug C. Accuracy Evaluation of Four Blood Glucose Monitoring Systems in Unaltered Blood Samples in the Low Glycemic Range and Blood Samples in the Concentration Range Defined by ISO 15197. *Diabetes Technol Ther*. 2015 Sep;17(9):625-634.
9. Jendrike N, Rittmeyer D, Pleus S, Baumstark A, Haug C, Freckmann G. ISO 15197:2013 Accuracy Evaluation of Two CE-Marked Systems for Self-Monitoring of Blood Glucose. *J Diabetes Sci Technol*. 2015 Jul;9(4):934-935.
10. Link M, Schmid C, Pleus S, Baumstark A, Rittmeyer D, Haug C, Freckmann G. System Accuracy Evaluation of Four Systems for Self-Monitoring of Blood Glucose Following ISO 15197 Using a Glucose Oxidase and a Hexokinase-Based Comparison Method. *J Diabetes Sci Technol*. 2015 Apr 14;9(5):1041-1050.
11. Freckmann G, Schmid C, Baumstark A, Rutschmann M, Haug C, Heinemann L. Analytical Performance Requirements for Systems for Self-Monitoring of Blood Glucose With Focus on System Accuracy: Relevant Differences Among ISO 15197:2003, ISO 15197:2013, and Current FDA Recommendations. *J Diabetes Sci Technol*. 2015 Jul;9(4):885-894.
12. Freckmann G. Neue Technologien in der Diabetologie. Wie weit ist es noch bis zum Closed-loop-System? *Internist (Berl)*. 2015 May;56(5):484-492.
13. Pleus S, Schoemaker M, Morgenstern K, Schmelzeisen-Redeker G, Haug C, Link M, Zschornack E, Freckmann G. Rate-of-Change Dependence of the Performance of Two CGM Systems During Induced Glucose Swings. *J Diabetes Sci Technol*. 2015 Jul;9(4):801-807.
14. Heinemann L, Freckmann G. Quality of HbA1c Measurement in the Practice: The German Perspective. *J Diabetes Sci Technol*. 2015 May;9(3):687-695.
15. New JP, Ajjan R, Pfeiffer AF, Freckmann G. Continuous glucose monitoring in people with diabetes: the randomized controlled Glucose Level Awareness in Diabetes Study (GLADIS). *Diabet Med*. 2015 May;32(5):609-617.

2014

1. Freckmann G, Jendrike N, Pleus S, Buck H, Bousamra S, Galley P, Thukral A, Wagner R, Weinert S, Haug C. Use of microdialysis-based continuous glucose monitoring to drive real-time semi-closed-loop insulin infusion. *J Diabetes Sci Technol*. 2014 Nov;8(6):1074-1080.
2. Freckmann G, Pleus S, Baumstark A, Schmid C, Link M, Haug C. Self-monitoring of blood glucose: impact of a time delay between capillary blood sampling and glucose measurement. *J Diabetes Sci Technol*. 2014 Nov;8(6):1239-1240.
3. Link M, Pleus S, Schmid C, Freckmann G, Baumstark A, Stolberg E, Haug C. Accuracy Evaluation of Three Systems for Self-monitoring of Blood Glucose With Three Different Test Strip Lots Following ISO 15197. *J Diabetes Sci Technol*. 2014 Mar;8(2):422-424.
4. Pleus S, Schmid C, Link M, Baumstark A, Haug C, Stolberg E, Freckmann G. Accuracy assessment of two novel systems for self-monitoring of blood glucose following ISO 15197:2013. *J Diabetes Sci Technol*. 2014 Jul;8(4):906-908.
5. Freckmann G, Baumstark A, Schmid C, Pleus S, Link M, Haug C. Evaluation of 12 blood glucose monitoring systems for self-testing: system accuracy and measurement reproducibility. *Diabetes Technol Ther*. 2014 Feb;16(2):113-122.
6. Schmid C, Baumstark A, Pleus S, Haug C, Tesar M, Freckmann G. Impact of partial pressure of oxygen in blood samples on the performance of systems for self-monitoring of blood glucose. *Diabetes Technol Ther*. 2014 Mar;16(3):156-165.

2013

1. Freckmann G, Schmid C, Baumstark A, Pleus S, Link M, Haug C. In response to Teodorczyk and coauthors: System accuracy of blood glucose monitoring devices according to the current and proposed ISO 15197 standards. *J Diabetes Sci Technol*. 2013 Nov 1;7(6):1659-1660.
2. Freckmann G, Schmid C, Baumstark A, Pleus S, Link M, Haug C. Partial pressure of oxygen in capillary blood samples from the fingertip. *J Diabetes Sci Technol*. 2013 Nov 1;7(6):1648-1649.
3. Schnell O, Hinzmann R, Kulzer B, Freckmann G, Erbach M, Lodwig V, Heinemann L. Assessing the analytical performance of systems for self-monitoring of blood glucose: concepts of performance evaluation and definition of metrological key terms. *J Diabetes Sci Technol*. 2013 Nov 1;7(6):1585-1594.
4. Baumstark A, Schmid C, Pleus S, Haug C, Freckmann G. Influence of partial pressure of oxygen in blood samples on measurement performance in glucose-oxidase-based systems for self-monitoring of blood glucose. *J Diabetes Sci Technol*. 2013 Nov 1;7(6):1513-1521.
5. Freckmann G, Pleus S, Link M, Zschornack E, Klötzer HM, Haug C. Performance evaluation of three continuous glucose monitoring systems: comparison of six sensors per subject in parallel. *J Diabetes Sci Technol*. 2013 Jul 1;7(4):842-853.
6. Pleus S, Schmid C, Link M, Zschornack E, Klötzer HM, Haug C, Freckmann G. Performance evaluation of a continuous glucose monitoring system under conditions similar to daily life. *J Diabetes Sci Technol*. 2013 Jul 1;7(4):833-841.
7. Zschornack E, Schmid C, Pleus S, Link M, Klötzer HM, Obermaier K, Schoemaker M, Strasser M, Frisch G, Schmelzeisen-Redeker G, Haug C, Freckmann G. Evaluation of the performance of a novel system for continuous glucose monitoring. *J Diabetes Sci Technol*. 2013 Jul 1;7(4):815-823.
8. Schmid C, Haug C, Heinemann L, Freckmann G. System accuracy of blood glucose monitoring systems: impact of use by patients and ambient conditions. *Diabetes Technol Ther*. 2013 Oct;15(10):889-896.
9. Heinemann L, Freckmann G, Koschinsky T. Considerations for an institution for evaluation of diabetes technology devices to improve their quality in the European Union *J Diabetes Sci Technol*. 2013 Mar 1;7(2):542-547.
10. Liebl A, Henrichs HR, Heinemann L, Freckmann G, Biermann E, Thomas A; Continuous Glucose Monitoring Working Group of the Working Group Diabetes Technology of the German Diabetes Association. Continuous glucose monitoring: evidence and consensus statement for clinical use. *J Diabetes Sci Technol*. 2013 Mar 1;7(2):500-519.
11. Patte C, Pleus S, Wiegel C, Schiltges G, Jendrike N, Haug C, Freckmann G. Effect of infusion rate and indwelling time on tissue resistance pressure in small-volume subcutaneous infusion like in continuous subcutaneous insulin infusion. *Diabetes Technol Ther*. 2013 Apr;15(4):289-294.

2012

1. Baumstark A, Pleus S, Schmid C, Link M, Haug C, Freckmann G. Lot-to-lot variability of test strips and accuracy assessment of systems for self-monitoring of blood glucose according to ISO 15197. *J Diabetes Sci Technol*. 2012 Sep 1;6(5):1076-1086.
2. Freckmann G, Schmid C, Baumstark A, Pleus S, Link M, Haug C. System accuracy evaluation of 43 blood glucose monitoring systems for self-monitoring of blood glucose according to DIN EN ISO 15197. *J Diabetes Sci Technol*. 2012 Sep 1;6(5):1060-1075.
3. Freckmann G, Schmid C, Ruhland K, Baumstark A, Haug C. Integrated self-monitoring of blood glucose system: handling step analysis. *J Diabetes Sci Technol*. 2012 Jul 1;6(4):938-946.
4. Patte C, Pleus S, Galley P, Weinert S, Haug C, Freckmann G. Feasibility of overnight closed-loop control based on hourly blood glucose measurements. *J Diabetes Sci Technol*. 2012 Jul 1;6(4):902-909.
5. Freckmann G, Pleus S, Haug C, Bitton G, Nagar R. Increasing local blood flow by warming the application site: beneficial effects on postprandial glycemic excursions. *J Diabetes Sci Technol*. 2012 Jul 1;6(4):780-785.
6. Heinemann L, Lodwig V, Freckmann G. Accuracy in blood glucose measurement: what will a tightening of requirements yield? *J Diabetes Sci Technol*. 2012 Mar 1;6(2):435-443.
7. Freckmann G, Pleus S, Westhoff A, Krinkel LG, Buhr A, Jendrike N, Haug C. Clinical performance of a device that applies local heat to the insulin infusion site: a crossover study. *J Diabetes Sci Technol*. 2012 Mar 1;6(2):320-327.

2011

1. Heinemann L, Freckmann G Genauigkeit der Blutzuckermesung: Was bringt eine Verschärfung der Anforderungen? Kompendium Diabetes; 6. Jahrg. 2011;22-28.
2. Freckmann G, Haug C, Heinemann L Bluzuckerstellbstmessung heute: Sind alle Geräte gleich? Diabetes Stoffw und Herz. 2011;20:235-241.

2010

1. Zisser H, Wagner R, Pleus S, Haug C, Jendrike N, Parkin C, Schweitzer M, Freckmann G. Clinical performance of three bolus calculators in subjects with type 1 diabetes mellitus: a head-to-head-to-head comparison. *Diabetes Technol Ther.* 2010 Dec;12(12):955-61.
2. Freckmann G, Baumstark A, Jendrike N, Zschornack E, Kocher S, Tshiananga J, Heister F, Haug C. System accuracy evaluation of 27 blood glucose monitoring systems according to DIN EN ISO 15197. *Diabetes Technol Ther.* 2010 Mar;12(3):221-31.

2009

1. Ocvirk G, Hajsek M, Gillen R, Guenther A, Hochmuth G, Kamecke U, Koelker KH, Kraemer P, Obermaier K, Reinheimer C, Jendrike N, Freckmann G. TheClinical Research Tool: a high-performance microdialysis-based system for reliably measuring interstitial fluid glucose concentration. J Diabetes Sci Technol. 2009 May 1;3(3):468-77.
2. Nielsen JK, Freckmann G, Kapitza C, Ocvirk G, Koelker KH, Kamecke U, Gillen R, Amann-Zalan I, Jendrike N, Christiansen JS, Koschinsky T, Heinemann L. Glucose monitoring by microdialysis: performance in a multicentre study. Diabet Med. 2009 Jul;26(7):714-721.

2008

1. Freckmann G, Jovanovic L, Baumstark A, Haug C, van der Helm W. The circadian study: the get-up phenomenon in type 1 diabetes. Diabetes Care. 2008 Nov;31(11):e85.

2001

1. Freckmann G, Kalatz B, Pfeiffer B, Hoss U, Haug C. Recent advances in continuous glucose monitoring. Exp Clin Endocrinol Diabetes. 2001;109 Suppl 2:S347-57.